



# **BIL**

---

## **RELIABLE**

**BA INDUSTRIES LTD**





## Table Of Contents

<b>2</b>	.....	<b>Background</b>
<b>3</b>	.....	<b>What We Do</b>
<b>5</b>	.....	<b>Quality A Way Of Life</b>
<b>6</b>	.....	<b>Our Achievements</b>
<b>8</b>	.....	<b>South Pacific Representation</b>
<b>9</b>	.....	<b>Product Catalogue</b>

## BACKGROUND

**Our greatest glory is not never falling, but in rising every time we fall. - Confucius.**

Ba Industries Ltd was built on the noble fundamentals of local pride and that is by being 100% locally owned, producing products that are Fijian made and keeping the people of Fiji working. BIL (Ba Industries Ltd) was the vision of Mr Vinod Patel after witnessing the catastrophe caused by Hurricane Bebe in 1973, the objective being to create products that catered for the needs of the people of Fiji with quality and reliable products that built stronger homes.

With humble beginnings that started operations in a small shed in Ba, BIL has since expanded its operations into a 11,000 square foot property using state of the art machinery and employing over 80 employees.

**Ba Industries takes a substantial market share of more than 60% in the wire and fencing industry in Fiji and the Pacific region.**



## WHAT WE DO

**The secret of getting ahead is getting started. – Mark Twain**

Ba Industries Limited has been built on the recommendations of satisfied customers locally and across the Pacific Region. Our years of experience have given us the ability and know-how to manufacture durable and high quality products in a wide range of styles suitable for residential and commercial applications.

The Ba Industries Limited name is associated with reliability. All BIL products are manufactured with close attention to quality control. Our products are fully warranted to be free of manufacturing defects and conform to AS/NZS standard. As a complete nail and fencing products supplier, we ensure our customers receive what they have asked for in a better package and we also custom manufacture to suit their needs.

BIL has a vision to be the leading suppliers of quality wire products and related services consistently, not only in Fiji but in the whole Pacific Region. And over a 40 year period, since its inception, BIL has been able to achieve this successfully.



# QUALITY A WAY OF LIFE

## Quality is not an act, it is a habit. – Aristotle

Ba Industries Limited is hinged on being "Reliable". Being ISO 9001 – 2008 certified, BIL consistently provides a product that meets customer needs and applicable statutory and regulatory requirements.

With the current system in place continuous improvement is mandatory with assurance of conformity to all regulatory requirements which aims to enhance customer satisfaction.



# OUR ACHIEVEMENTS

## The starting point of all achievement is desire. - *Napolean Hill*

Ba Industries Limited has many accolades in its records. Ba Industries Limited exports drive has been duly acknowledged and rewarded on various occasions.

- Fiji Trade and Investment Board's Exporter of the Year Award 1993
- Fiji Trade and Investment Board's Exporter of the Year Award 1994
- The Most Prestigious Prime Minister's Exporter of the Year Award 1995
- Fiji Trade and Investment Board's Exporter of the Year Award 1996
- Network Exporter of the Year Award 1998
- Fiji Quality Awards 2002
- **The Most Prestigious Prime Minister's Exporter of the Year Award 2005**
- Prime Minister's Exporter of the Year Recognition Award 2014








# **SOUTH PACIFIC REPRESENTATION**

**Without continual growth and progress, such words as improvement, achievement and success have no meaning.**

*– Benjamin Franklin*

Ba Industries Limited embarked on an aggressive exports plan in the 1990s. BIL has been exporting to most of the South Pacific Island countries and has reached a milestone in becoming the only wire and fencing product manufacturing company in the South Pacific to export its product to the developed markets of Australia and New Zealand.





# PRODUCT CATALOGUE




OUTSTANDING  
RELIABILITY



## Table Of Contents

<b>11</b>	.....	<b>Nails</b>
<b>17</b>	.....	<b>Wires</b>
<b>23</b>	.....	<b>Tools</b>

# Nails



### JOLT HEAD BRIGHT NAILS



#### Specifications

20x1.60mm	50x2.80mm	125x5.60mm
25x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	
50x2.50mm	100x4.50mm	

### JOLT HEAD GALVANISED NAILS



#### Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	

### FLAT HEAD BRIGHT NAILS



#### Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	


### FLAT HEAD GALVANISED NAILS



#### Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	

## GALVANISED CLOUTS NAILS



### Specifications

20x2.50mm	30x2.80mm	40x3.15mm
20x2.80mm	30x3.15mm	50x2.80mm
25x2.80mm	40x2.80mm	50x3.15mm

## GALVANISED PLAIN ROOFING NAILS



### Specifications

65x3.75mm
75x3.75mm

## GALVANISED TWISTED ROOFING NAILS



### Specifications

65x3.75mm
75x3.75mm

## GALVANISED ROOFING WEATHERTECH NAILS



### Specifications

60x3.75mm	90x3.75mm
65x3.75mm	100x3.75mm
75x3.75mm	

## GALVANISED STAPLES NAILS



### Specifications

12x2.00mm	25x3.15mm	40x3.55mm
15x2.00mm	30x3.15mm	40x4.00mm
20x2.50mm	30x3.55mm	50x4.00mm
25x2.50mm	40x3.15mm	

Available in barbed staples

## COPPER SQUARE NAILS



### Specifications

25x2.33mm	50x2.81mm	125x5.89mm
30x 2.33mm	75x3.78mm	150x5.89mm
40x2.33mm	100x4.53mm	

## COPPER AND THREADED NAILS



### Specifications

20x2.80mm	40x2.80mm	75x3.75mm
25x2.80mm	50x2.80mm	100x4.50mm
30x2.80mm	65x2.80mm	

## COPPER ROUND NAILS



### Specifications

20x2.80mm	40x2.80mm	75x3.75mm
25x2.80mm	50x2.80mm	100x4.50mm
30x2.80mm	65x2.80mm	



## CONCRETE NAILS



### Specifications

PLAIN	FLUTED	090X4.60mm
020X2.50mm	050X3.20mm	100X4.60mm
025X2.50mm	060X3.20mm	
040X2.50mm	075X4.20mm	

## SHOE CUT TACKS NAILS



### Specifications

12mm (1/2")	20mm (3/4")
16mm (5/8")	

## Z NAILS



### Specifications

Left Side Z Nails  
Right Side Z Nails

## GALVANISED GRIPLOCK NAILS




### Specifications

40x2.50mm	65x3.15mm
50x2.80mm	75x3.75mm

Available in annular thread

## GALVANISED HARDIFLEX NAILS



### Specifications

25x2.00mm	30x2.50mm	50x2.80mm
25x2.50mm	40x2.00mm	65x3.75mm
30x2.00mm	40x2.50mm	

## ROOFING SCREWS




### Specifications

42mm  
65mm  
75mm  
Used for timber and purlin

# Wires



## STANDARD BARBED WIRE



### Specifications

25 kg  
40 kg  
50 kg

## HIGH TENSILE BARBED WIRE



### Specifications

100 mtr	360 mtr
150 mtr	400 mtr
250 mtr	500 mtr

## BLACK AND GALVANISED FENCE POST



### Specifications

1500mm	2400mm
1800mm	


## MESH WIRE



### Specifications

Reinforced Mesh 663, 665, 668, 6610  
Galvanised Mesh 228, 325, 328  
Chicken Mesh 3ft, 4ft, 6ft  
Welded Mesh 3ft, 4ft, 5ft  
Woven Mesh 3ft, 4ft - 16 gauge  
Copra /Wata mesh 3ft, 4ft, 5ft


**PVC COATED CHAINLINK FENCE**  
STANDARD or COMPACTED / COMPRESSED



**Specifications**

Mesh size	Height	2000mm
50 x 50	600mm	2100mm
60 x 60	900mm	2400mm
<b>Length 15 mtr</b>	1200mm	2800mm
	1500mm	3000mm
	1800mm	3600mm

**GALVANISED CHAINLINK FENCE**  
STANDARD or COMPACTED / COMPRESSED



**Specifications**

Mesh size	Height	2000mm
50 x 50	600mm	2100mm
60 x 60	900mm	2400mm
<b>Length 15 mtr</b>	1200mm	2800mm
	1500mm	3000mm
	1800mm	3600mm


**PIG / GOAT / CATTLE / DEER FENCE**



**Specifications**

Goat Fence 900mm	Deer Fence
Goat Fence 1200mm	1200mm - 1800mm
Pig Fence 0800mm	
<b>Length - 50mtr</b>	

**1/4 ROD**



**Specifications**

5.00mm x 5mtrs	5.5mm x 5mtrs
5.00mm x 5.5mtrs	5.5mm X 5.5mtrs

## DAMPCOURSE



### Specifications

50mm	125mm	250mm
75mm	150mm	1000mm
100mm	200mm	

## GALVANISED BINDING WIRE



### Specifications

#8 (4.00mm)	#14 (2.00mm)	HIGH TENSILE
#9 (3.55mm)	#16 (1.57mm)	#16 (1.57mm)
#10 (3.15mm)	#18 (1.20mm)	
#12 (2.50mm)	#20 (1.00mm)	

## RAZOR WIRE



### Specifications

500mm DIA X 102 SPIREAM X 15MTR X 13KG


## GALVANISED FENCING POST



### Specifications

900mm - 3600mm  
 No Welding done molded in one piece steel.  
 Suitable for galvanized chain link for all sizes.


## PVC COATED BINDING WIRE



### Specifications

2.8mm    3.2mm


## GALVANISED STRAPPING 25MM X 1MM



### Specifications

5mtrs                      27mtrs                      50mtrs  
10mtrs                    30mtrs  
25 mtrs

## NAIL COIL / GANG NAILS



### Specifications

NC5, NC10, NC16  
Also available in pre cut plates

## MULTIGRIP



### Specifications

100mm X 36mm X 36mm





# TOOLS



## ALUMINIUM LOUVRE FRAME



### Specifications

- 610mmx152mm x 5mm
- Plastic clip & handle
- Available in 3-12 blades
- 3-5 single control
- 6-12 double control

## GALVANISED LOUVRE FRAME



### Specifications

- 610mm x152mm x 5mm
- Galvanised clip & handle.
- Available in 3-12 blades
- 3-5 single control
- 6-12 double control

## LOUVRE GLASS



### Specifications

- 610mm x 152mm x 5mm
- smooth edge available in: 24°, 26°, 28°, 30°, 32°, and 36°

## SISALATION



### Specifications

- Single sided
- Double sided

## CYCLONE ALUMINIUM INSECT SCREEN



### Specifications

- 910mm x 30 mtr
- 1520mm x 30mtr
- 1220mm x 30mtr
- 1830mm x 30mtr




## CYCLONE FIBER GLASS INSECT SCREEN



### Specifications

- 910mm x 50 mtr
- 1520mm x 50mtr
- 1220mm x 50mtr
- 1830mm x 50mtr



## COMPLETE TOILET SET - CISTERN WITH P-PAN OR S-PAN



## DOLTON CISTERN



### Specifications

- Side entry / bottom entry
- 3 litre / 6 litre

## PVC & PE PIPES



### Specifications

- UPVC Pipes
- Pressure 15mm to 375mm
- Waste (DWV) 32mm to 150mm
- Storm water 90mm to 375mm
- Down Pipe 80mm
- Electrical Conduits 16mm to 150mm
- MPVC Pressure Pipes 100mm to 375mm
- Polyethylene pressure pipes and coils 15mm to 110mm

## GALVANISED PIPES PLAIN & THREADED

### Specifications

- Grade "A" 15mm to 100mm
- Grade "B" 15mm to 100mm
- Grade "C" 15mm to 100mm



## WHEEL BARROW AND ACCESSORIES



### Specifications

- 57 litre wheel barrow capacity
- Accessories
- "U" Bolt
- Bearing
- Tubes
- Spacer
- Axle
- Bolt & Nuts

## PVC LINO



### Specifications

- 6ft x 30yd

## NEOPRENE RUBBER WASHER



## GLV/ PVC COATED CLOTH LINE WIRE



### Specifications

- 30mtr

## SHRINK WRAP / STRETCH WRAP



### Specifications

- 500mm x 400m x 20micron

## BLACK VISQUEEN



### Specifications

- 20micron
- 40micron
- 60micron

## TARPAULIN



### Specifications

- 70gsm in blue colour
- 120gsm in silver colour
- Available in different sizes

## FILE



### Specifications

- HAND FILE**
- MILL BASTARD FILE**
- CHAINSAW FILE**
- SLIM TAPER**

- 6", 8", 10", 12"

## PROFILE DEADBOLT



## ZENITH DEADLOCK



## LANE SECURITY SET STAINLESS STEEL / BRASS

### Specifications

- entrance locks set with double hatch.



## LANE PRIVACY SET BRASS & STAINLESS STEEL



## ENTRANCE SET STAINLESS STEEL / BRASS



## MEASURING TAPE

### Specifications

- 3mtr, 5mtr, 8mtr




## GARDEN MASTER SQUARE / ROUND SHOVEL



### Specifications

- Long and short handle



## CYCLONE ROUND / SQUARE SHOVEL



### Specifications

- Long and short handle

## GARDEN MASTER TRENCHING SHOVEL WITH LONG HANDLE



## CYCLONE GARDEN FORK



## CYCLONE TROWEL



## PICK HEAD 2KG



## GARDEN MASTER HATCHED WOOD AXE



### Specifications

- 2kg axe  
wooden handle

## CYCLONE COMPACT BYPASS PRUNER



## COURTYARD CULTIVATOR



## GARDEN MASTER MACHETE STEEL



## SHEAR HEDGE STRAIGHT / WAVY EDGED



## GARDEN MASTER BYPASS LOPPER



## HAND SAW



### Specifications

- 20", 22", 26"
- Cross cut

## WRECKING BAR



### Specifications

- 450mm (18")
- 600mm(24")
- 760mm(30")
- 900mm(36")

## NAIL RAKE HEAD 16 TEETH



### Specifications

## WELDING ROD



### Specifications

- 2.5mm #12 - 2.5kg / packet
- 3.2mm #10 - 5kg / packet

## BALL PEN HAMMER



### Specifications

- Available in different ounce head

## CLAW HAMMER



### Specifications

- Available in different ounce head



## DIAMOND BLADE WET & DRY



### Specifications

- 180mm
- 230mm

## CIRCULAR SAW BLADE



### Specifications

- 7 1/4 = 40t, 7 1/4 = 24teeth
- 9 1/4 = 40t, 9 1/4 = 24teeth

## DIAMOND BLADE 2PC



## CLASSIC KNIFE STANDARD



### Specifications

- 450mm (18")
- With spare blade

## COMBINATION SQUARE



### Specifications


- 300mm

## FOAM MATTRESS

### Specifications

- covered and uncovered
- available in single, double and queen size.
- 1", 2", 3", 4", 5" and 6"









Phone: 667 4966 Fax: (679) 667 6700  
E-mail: [sales@bil.com.fj](mailto:sales@bil.com.fj) or [export@bil.com.fj](mailto:export@bil.com.fj)  
Visit us at [www.baindustriesfiji.com](http://www.baindustriesfiji.com)

**BA INDUSTRIES LTD**  
**P.O.Box 707, Ba**  
**Fiji Islands**



Fiji's Only ISO 9001 - Wire & Fencing Products Manufacturing Company