
















Power Tools

Code	Name	Description	Pictures
BILTUFFCAG601	Cordless Angle Grinder 20V	Cordless Angle Grinder Voltage: 20V Diameter: 100mm speed: 0-8000rpm 3.0Ah Blade No-load Battery: Lithium- Single battery	
BILTUFFCAGB20	Battery 20V Angle Grinder	Only battery 20V for Angle Grinder	
BILTUFFCHD701	18V Cordless Hammer Drill Dia Chuck: 13mm	18V CORDLESS HAMMER DRILL, 1 Pc Battery power:1.5Ah dia of chuck:Max13mm MAX TORQUE:42N.M NO LOAD SPEED:0-400/0-1400rpm TORQUE SETTINGS:19+1 CHARGER TIME:1hour/3-5 hours battery type:li-ion max.drilling dia.wood:25mm,steel 10mm two speed:yes,	
BILTUFFCHD18V	Battery 18V Cordless Hammer Drill	Only battery 18V Cordless Hammer drill	
BILTUFFCIW18V	Brushless Cordless Impact Wrench 18V , Max torque: 280 N.M Chuck Size: 1/2"	Brushless impact wrench 18V Voltage:18V Battery:4000MAH No-load speed:0-2600 rpm brushless motor Max torque: 280N.m Chuck: 1/2" SAA plug Certificate: CE/GS/EMC	

BILTUFFCSD36V	Cordless Screw Driver 3.6V Set	Cordless Screwdriver 3.6V Voltage:3.6V Voltage/Frequency: 230V~50Hz Battery: 1500mah Li-ion battery VDE No load Speed: 210 rpm Max Torque:3.5N.m Torque setting:9 torque settings Chuck: 1/4"(Ø 6.35mm) 53pcs Accessories: 52pcs 25mm Carbon steel bits: PH1*5, PH2*5, PH3*4; PZ1*4, PZ2*4, PZ3*4, H3*2, H4*2, H5*2, T8*2 , T10*2, T15*2, T20*2, T25*2, T40*2 SL3*2, SL4*2, SL5*2, SL6*2 1pc 60mm bits holder (material: carbon steel) Certificate: CE/GS/EMC	
BILTUFFCIW20V	Cordless Impact Wrench 20V, Chuck Size: 3/4" Max torque: 1000N.M	Impact wrench Voltage: DC-20V No Load Speed: 0-950/0-1500/0- 1800rpm Max Impact rate: 0-23001PM max torque: 1000N.m Chuck Size: 3/4"	
BILTUFFED500W	Electric Drill 500W Chuck Size - 10,,	Electric Drill Voltage/Frequency:230V/50Hz Motor/input power:500W No-load speed:0-3000r/min Cutting depet:wood 25mm, steel 10mm 10MM key chuck 1PC customize white and black manual	
BILTUFFEDI850	Impact Drill 850W Chuck Size: 13mm	Impact Drill Voltage/Frequency:230V/50HZ Input power:850W 13MM key chuck No load speed: 0-3000rpm Max impact rate:48000bpm Drilling capacity: steel:13mm/concrete:13mm/ wood:40mm 1PC customize	
BILTUFFEDI105	Impact Drill 1050W Chuck size: 13mm	Impact Drill 1050W Two speeds Aluminum head Voltage/Frequency: 230V/50Hz Input power:1050W No-load speed: 0-2800/1100 r/min Impact frequency: 0-44800/17200 r/min Chuck capacity max:13mm maximun drilling diameter steel:13mm, concrete:20mm, wood:30mm VDE plug/SAA plug with 2M cables Certificate: GS/CE/EMC/ROHS Color:	

BILTUFFEDR800	Rotary Hammer 800W Drilling capacity: Steel - 13mm, Concrete - 26mm, Wood 30mm	Rotary hammer Voltage/Frequency:230V/50HZ Input power:800W Chuck:SDS-plus No load speed:0-1100rpm Impact rate: 0-4000bpm Impact Joules:3J Drilling capacity: steel:13mm/concrete:26mm/wood:30mm Accessories: 6/8/10mm drill bit 1pc point chisel bit 1pc flat chisel bit customize	 
BILTUFFEDR150	Heavy Duty Rotary Hammer 1500W	Heavy Duty Rotary Hammer 1500W Voltage/Frequency: 230V/50Hz Input Power: 1500W No-load speed: 900 r/min Impact frequency: 4300 r/min Impact energy: maximum drilling diameter steel:13mm, concrete:32mm, wood:40mm With 3 drills and 2 chisels Toolholder: SDS Plus VDE plug/SAA plug with 2M cables	
BILTUFFEAG850	Angle Grinder 4" 850W	ANGLE GRINDER Voltage:230V/50HZ Power:850W No-Load speed:11000rpm Diameter:Φ100mm Thread of grinder spindle:M10 1PC customize	
BILTUFFEAG100	Angle Grinder 1000W Diameter 115/125mm	Model:BILTUFF Power: 1000W Voltage: 230V/50Hz Diameter: 115/125mm Thread of grinder spindle:M14 No-Load Speed:11000r/min	
BILTUFFEJS800	Jig Saw 800W Stroke length: 20mm Bevel cut: 0.45 d obtial Setting; 4 Section Cutting capacity: wood 100mm, metal 10mm with laser Aluminum base	JIG SAW Voltage/Frequency:230V/50HZ Input power:800W Stroke length:20mm No load speed:800-3000SPM Bevel cut:0-45° Obtial setting:4 sections Cutting capacity: wood:100mm/metal:10mm With Laser Aluminum base customize	
BILTUFFECS130	Circular Saw 1300W (185mm)	CIRCULAR SAW Voltage/Frequency:230V/50HZ Input power:1300W Blade size: 185mm 24T No Load speed:4700rpm Bevel cut:0-45° Cutting capacity: 90° @65mm 45° @45mm	

BILTUFFEB600W	Blower 600W Air Volume: 4m3/min	BLOWER Voltage/Frequency:230V/50HZ Input power:600W No-load speed: 16000rpm Air volume:4m3/min 1PC customize	
BILTUFFEWM180	Electric Welding Machine Output current Range A10-200, 4.4kg Electrode (mm) 1.6-4.0MM	INVERTER MMA WELING MACHINE ,Input Voltage (V):AC-230V; Frequency (Hz) :50/60Hz; Output Current Range (A) :10-200A; Electrode (mm) :1.6-4.0MM; Weight: 4.4Kg	
BILTUFFGBC430	Brush Cutter 52cc	Brush Cutter 52cc (Grass Trimmer)	 
BILTUFFVC1600	Dual cyclone Vacuum Cleaner 1400W	Voltage: 220-240V 50/60Hz Power: 1400W nom 1600W max Plug: VDE/SAA plug Cord length: totally 5m Dust capacity: 4L Safety Standard: GS CE ROHS ,EMC	 
BILTUFFVC1200	Vacuum Cleaner Wet & Dry & Blower 1200W	Vacuum Cleaner Power: 1200W Capacity: 20Liters Suction: 17KPA Noise: 80db(A) Cable length: 4m Hose length: 1.5m Filter: Cloth filter Function: wet&dry&blower SAA plug Accessories: plastic tube, crevice tool, cloth filter, hose assembly, round brush, floor nozzle Certificates: SAA. CB. CE. ROHS	

BILTUFFCOM125	Concrete Mixer 125Ltr	Concrete Mixer 125L Motor: 230V-/50Hz Power: 550W Motor No-load Speed: 2950rpm Drum Speed: 34rpm Drum Capacity: 125L Diameter of Drum: 560mm Diameter of Drum Opening: 375mm Durm thickness: up/lower durm: 1.2/1.8 mm Packing Size: 820x705x390mm Gross/Net Weight: 52/48Kgs Cast iron gear ring With SAA plug Approvals CE/GS	
BILTUFFCOM180	Concrete Mixer 180Ltr	Concrete Mixer 180L Motor: 230V-/50Hz Power: 650W Motor No-load Speed: 2950rpm Drum Speed: 32rpm Drum Capacity: 180L Diameter of Drum: 620mm Diameter of Drum Opening: 400mm Durm thickness: up/lower durm 1.2/1.8 mm Packing Size: 840x720x425mm Gross/Net Weight: 60/55Kgs Cast iron gear ring, Pedal plate control With SAA plug CE/GS	
BILTUFFGW1000	Generator 1KW	1KW, Max output 1100w	
BILTUFFGW3000	Generator 2.8KW	2.8KW, Max: Output: 3000w	
BILTUFFGW5000	Generator 5KW	5KW, Max: Output: 5500W	
BILTUFFGWSK05	Disel Generator Silent Proof	Disel Generator Silent Proof 5KV, Max Output 5500W	
BILTUFFEDS240	Drop Saw 2400W	355MM CUT OFF SAW Voltage:230V/50HZ Power:2400W No-Load Speed: 3900rpm Cutting disc size: 355mm Max cutting capacity: Round pipe 130mm/Square130x130mm/ Rectangle 150x102mm	
BILTUFFCCS20V	Cordless Circular saw Machine	Brush Cordless circular saw 20V No-load speed: 3800spm Blade size: 5-3/8" Blade bevel range: 0-50° Depth of Cut: at 45° 1-1/8"mm at 0° 1-1/2"mm Certificate: CE/GS/EMC	

BILTUFFEP900W	Electric Planner 900W	<p>ELECTRIC PLANNER Voltage: 220-240V 50Hz Power : 900W No-load speed: 18000r/min Planing Capacity: 82*3mm MAX:11mm Cord length: 1.8m SAA plug Accessories:1 set of carbon brush;1 dust bag; 1 parallel guide;1 rebating depth guide;1 hex wrench</p>	
BILTUFFEOS220	Orbital Sander 220W	<p>1/3 SHEET ORBITAL SANDER Voltage/Frequency: 230V/50Hz Input Power: 220W No load speed: 6000--12000 opm Pad size: 90X187mm (1/3sheet) Aluminum base Accessories:1set carbon brush;1pc dust bag;1pc sanding paper</p>	
BILTUFFER120W	Electric Router 1200W	<p>ELECTRIC ROUTER Voltage/Frequency:230V/50HZ Input power:1200W No load speed:11500-32000r/min Diameter of collet:1/2mm With constant power,soft start Accessories:1set of carbon brush;1set 1 parallel guide;1 template guide;1centering pin;1extraction adapter;1spanner 3/8 1/4 mm</p>	
BILTUFFEBS101	Belt Sander 1010W	<p>BELT SANDER Voltage/Frequency:230V/50HZ Sanding size:76x533mm Input power:900W/1010W Sanding speed:120-400m/min Electric Wire: 2M Color: red and black Certificate: CE/EMC</p>	
BILTUFFCOM224	Compressor 2HP, 24 LTR	<p>Aluminum wire motor 206L/min air displacement 24 litre air receiver 1.5KW/2HP, 230V/50HZ, 1ph motor with thermal overload protection. 8bar (115 psi) maximum working pressure, controlled by a fully automatic pressure switch. cylinder diameter 48mm, stroke 38 Dimensions (LWH)580x255x580mm SAA plug. CE/GS/EMC</p>	
BILTUFFWBH090	High Pressure Cleaner	<p>Water blaster/High pressure cleaner Carbon brush motor Pressure:90bar Max pressure:135bar Flow:5.5L/min Max flow:6.8L/min Motor: 1400W(Actual 1200W) Voltage:230V~50Hz</p>	

BILTUFFWBH110	High Pressure Cleaner	<p>Water blaster/High pressure cleaner Carbon brush motor Pressure:110bar Max pressure:165bar Flow:6.3L/min Max flow:6.8L/min Motor: 2000W Voltage:230V~50Hz</p>	
BILTUFFGCS520	Chain Saw 18"	<p>Gasoline Chainsaw 18" Motor: single cylinder, 2-stroke, air-cooling, Engine displacement: 52CC Rated input power: 2000W Size: 18" Idling speed: 3000-3200r/min Fuel tank capacity: 550ml Engjng oil tank capacity: 260ml</p>	
BILTUFFNGM001	Nail Gun for Wood	<p>Size: 338mm(L) x 378mm(H) x 107mm(W) Weight: 3.5kg without battery Power: 80J Nail capacity: 48nails Speed/Cycle rate: 2-3 nails/second</p>	
BILTUFFGPD01	Post Hole Digger 2 Stroke	<p>2 stroke,Single Cylinder,Air cooling Rated power: 1.5kw/3000-3200rpm Displacement:51.7cc Carburetor:Diaphragm type Fuel/Oil mixture ratio:25:1 or 40:1 Fuel Tank Capacity:1200ml G.W/N.W:12/10kg Drill Diamter:150mm Drill Length:80cm</p>	